



# Test Report

KINGBOARD LAMINATES  
(MACAO COMMERCIAL OFFSHORE) LIMITED  
AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL  
RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539  
Date : 2005/11/25  
Page : 1 of 7

**The following merchandise was (were) submitted and identified by the client as :**

Type of Product : SZECO051124668EC3-3 KB-7150 [ANSI TYPE: CEM-3]  
Manufacturer/Vendor : KINGBOARD  
Sample Received : 2005/11/18  
Testing Date : 2005/11/18 TO 2005/11/25

=====  
Test Result : - Please see the next page -

  
Daniel Yeh, M.R., Operation Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

**SIZE 124520**



# Test Report

KINGBOARD LAMINATES  
(MACAO COMMERCIAL OFFSHORE) LIMITED  
AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL  
RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539  
Date : 2005/11/25  
Page : 2 of 7

## Test Result

PART NAME NO. 1 : MIXED ALL PARTS

Test Item (s):	Unit	Method	MDL	Result
				No.1
Asbestos				
Anthrophyllite(CAS NO.017068-78-9)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Amosite(CAS NO.012172-73-5)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Tremolite(CAS NO.014567-73-8)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Chrysotile(CAS NO.012001-29-5)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Crocidolite(CAS NO.012001-28-4)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Actinolite(CAS NO.013768-00-8)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative

Test Item (s):	Unit	Method	MDL	Result
				No.1
AZO		As per LMBG 8202-2		
4-AMINODIPHENYL (CAS NO.92-67-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
BENZIDINE (CAS NO.92-87-5)	ppm	Analysis was performed by GC/MS.	3	N.D.
4-CHLORO-O-TOLUIDINE (CAS NO.95-69-2)	ppm	Analysis was performed by GC/MS.	3	N.D.
2-NAPHTHYLAMINE (CAS NO.91-59-8)	ppm	Analysis was performed by GC/MS.	3	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SIZE 124521



# Test Report

KINGBOARD LAMINATES  
(MACAO COMMERCIAL OFFSHORE) LIMITED  
AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL  
RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539  
Date : 2005/11/25  
Page : 3 of 7

Test Item (s):	Unit	Method	MDL	Result
				No.1
O-AMINOAZOTOLUENE (CAS NO.97-56-3)	ppm	Analysis was performed by GC/MS.	3	N.D.
2-AMINO-4-NITROTOLUENE (CAS NO.99-55-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-CHLOROANILINE (CAS NO.106-47-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4-DIAMINOANISOLE (CAS NO.615-05-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4- DIAMINODIPHENYLMETHAN E (CAS NO.101-77-9)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DICHLOROBENZIDINE (CAS NO.91-94-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHOXYBENZIDINE (CAS NO.119-90-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHYLBENZIDINE (CAS NO.119-93-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHYL-4,4- DIAMINODIPHENYLMETHAN E (CAS NO.838-88-0)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-CRESIDINE(2-METHOXY-5- METHYLANILINE) (CAS NO.120-71-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4-METHYLENE-BIS-(2- CHLORANILINE) (CAS NO.101-14-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4-OXYDIANILINE (CAS NO.101-80-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4-THIODIANILINE (CAS NO.139-65-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
O-TOLUIDINE (CAS NO.95- 53-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4-TOLUYLENDIAMINE (CAS NO.95-80-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4,5-TRIMETHYLANILINE (CAS NO.137-17-7)	ppm	Analysis was performed by GC/MS.	3	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SIZE 124522



# Test Report

KINGBOARD LAMINATES  
(MACAO COMMERCIAL OFFSHORE) LIMITED  
AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL  
RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539  
Date : 2005/11/25  
Page : 4 of 7

Test Item (s):	Unit	Method	MDL	Result
				No.1
O-ANISIDINE (CAS NO.90-04-0)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-AMINOAZOBENZENE (CAS NO.60-09-3)	ppm	Analysis was performed by GC/MS.	3	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Chlorinated Paraffin (C10-C13) (CAS NO:010871-26-2)	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by GC/MS or GC/ECD.	0.01	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Formaldehyde(CAS No:000050-00-0)	ppm	With reference to DIN 53315 & USEPA 8315A. Analysis was performed by HPLC/DAD/MS	0.2	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Mirex(CAS NO:002385-85-5)	ppm	Analysis was performed by GC/MS.	4	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Organic-tin compounds				
Triphenyl Tin(TPT)(CAS NO:000668-34-8)	ppm	With reference to 89/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.03	N.D.
Tributyl Tin(TBT)	ppm	With reference to 89/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.03	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SIZE 124523





# Test Report


KINGBOARD LAMINATES  
(MACAO COMMERCIAL OFFSHORE) LIMITED  
AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL  
RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539  
Date : 2005/11/25  
Page : 5 of 7

Test Item (s):	Unit	Method	MDL	Result
				No.1
PCBs(Polychlorinated Biphenyls)(CAS NO:001336-36-3)	ppm	With reference to USEPA 8082A. Analysis was performed by GC/MS or GC/ECD.	0.5	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Monobromobiphenyl	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.
Dibromobiphenyl	%		0.0005	N.D.
Tribromobiphenyl	%		0.0005	N.D.
Tetrabromobiphenyl	%		0.0005	N.D.
Pentabromobiphenyl	%		0.0005	N.D.
Hexabromobiphenyl	%		0.0005	N.D.
Heptabromobiphenyl	%		0.0005	N.D.
Octabromobiphenyl	%		0.0005	N.D.
Nonabromobiphenyl	%		0.0005	N.D.
Decabromobiphenyl	%		0.0005	N.D.
<b>Total PBBs (Polybrominated biphenyls)/Sum of above</b>	%		-	N.D.
Monobromobiphenyl ether	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.
Dibromobiphenyl ether	%		0.0005	N.D.
Tribromobiphenyl ether	%		0.0005	N.D.
Tetrabromobiphenyl ether	%		0.0005	N.D.
Pentabromobiphenyl ether	%		0.0005	N.D.
Hexabromobiphenyl ether	%		0.0005	N.D.
Heptabromobiphenyl ether	%		0.0005	N.D.
Octabromobiphenyl ether	%		0.0005	N.D.
Nonabromobiphenyl ether	%		0.0005	N.D.
Decabromobiphenyl ether	%		0.0005	N.D.
<b>Total PBBEs(PBDEs) (Polybrominated biphenyl ethers)/Sum of above</b>	%		-	N.D.
<b>Total of Mono to Nona-brominated biphenyl ether. (Note 4)</b>	%	-	N.D.	

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



SZE 124524

SGS-CTI Standards Technical Services Co. Ltd. | 2/F, Oastar Building, Zhongkang Road, Shangmeilin, Shenzhen, China 518049 | t (86-755)83114358 f (86-755)83182782 www.cn.sgs.com  
Shenzhen Branch Laboratory | 中国·深圳·上梅林中康路奥士达大厦2层 邮编:518049 | t (86-755)83114358 f (86-755)83182782 e sgs.china@sgs.com

## Test Report

KINGBOARD LAMINATES  
 (MACAO COMMERCIAL OFFSHORE) LIMITED  
 AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL  
 RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539  
 Date : 2005/11/25  
 Page : 6 of 7

Test Item (s):	Unit	Method	MDL	Result
				No.1
Polychlorinated Naphthalene	ppm	With reference to USEPA 8081B. Analysis was performed by GC/MS.	5	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
PVC (CAS No:9002-86-2)	%	Analysis was performed by FTIR/ATR and Pyrolyzer-GC/MS.	1	Negative

Test Item (s):	Unit	Method	MDL	Result
				No.1
Chromium VI (Cr+6)	ppm	UV-VIS after reference to US EPA 3060A.	2	N.D.
Cadmium (Cd)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.
Mercury (Hg)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.
Lead (Pb)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.

- NOTE: (1) N.D. = Not detected (<MDL)  
 (2) ppm = mg/kg  
 (3) MDL = Method Detection Limit  
 (4) Decabromodiphenyl ether (DecaBDE) in polymeric applications is exempted by Commission Decision of 13 Oct 2005 amending Directive 2002/95/EC notified under document 2005/717/EC.  
 (5) PBBEs=PBDEs=Polybrominated Diphenyl Ethers=PBDOs=PBBOs.  
 (6) " - " = Not Regulation  
 (7) " --- " = Not Applicable  
 (8) \* = Results shown are of the adjusted analytical results  
 (9) \*\* = Qualitative analysis (No Unit)  
 (10) Negative = < 1.0 %, Positive = > 1.0 %  
 (11) The MDL is 5ppm for the single compound of CP

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.


SZE 124525



# Test Report

KINGBOARD LAMINATES  
 (MACAO COMMERCIAL OFFSHORE) LIMITED  
 AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL  
 RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539  
 Date : 2005/11/25  
 Page : 7 of 7



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

**SZE 124526**

SGS-CSTC Standards Technical Services Co., Ltd.  
 Shenzhen Branch Laboratory

2/F, Oastar Building, Zhongkang Road, Shangmeilin, Shenzhen, China 518049  
 中国·深圳·上梅林中康路奥士达大厦2层 邮编: 518049

t (86-755)83114358 f (86-755)83182782 www.cn.sgs.com  
 t (86-755)83114358 f (86-755)83182782 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)