

KINGBOARD LAMINATES

(MACAO COMMERCIAL OFFSHORE) LIMITED

AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL

RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539

Date : 2005/11/25

Page : 1 of 7

#### The following merchandise was (were) submitted and identified by the client as:

Type of Product

SZECO051124668EC3-3 KB-7150 [ANSI TYPE: CEM-3]

Manufacturer/Vendor

: KINGBOARD

Sample Received

: 2005/11/18

<u>Testing Date</u>

: 2005/11/18 TO 2005/11/25

<u>Test Result</u>

- Please see the next page -

Deniel Yeh, M.R. / Operation Manager Signed for and on behalf of SGS TAIWAN LTD.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The tasults shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for by days or by This test Report shall not be reproduced except in full, without written approval of the Company.

SZE 124520

t (86-755)83114358 t (86-755)83114358

f (86-755)83182782 f (86-755)83182782 www.cn.sgs.com e sgs.china@sgs.com

ndards Technical Sexvi



KINGBOARD LAMINATES
(MACAO COMMERCIAL OFFSHORE) LIMITED
AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL
RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539

Date: 2005/11/25

Page : 2 of 7

#### **Test Result**

PART NAME NO. 1

MIXED ALL PARTS

Test Item (s):	Unit	Method	MDL	Result
Λ1		<u> </u>		No.1
Asbestos				
Anthrophyllite(CAS NO.017068-78-9)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Amosite(CAS NO.012172-73- 5)	%	As per MOSH 9000 method. Analysis was performed by XRD.	1	Negative
Tremolite(CAS NO.014567- 73-8)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Chrysotile(CAS NO.012001- 29-5)	%	As per MOSH 9000 method. Analysis was performed by XRD.	1	Negative
Crocidolite(CAS NO.012001- 28-4)	%	As per MOSH 9000 method. Analysis was performed by XRD.	1	Negative
Actinolite(CAS NO.013768- 00-8)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative

Test Item (s):	Unit	Method	MDL	Result
		method		No.1
AZO		As per LMBG 8202-2		
4-AMINODIPHENYL (CAS NO.92-67-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
BENZIDINE (CAS NO.92-87- 5)	ppm	Analysis was performed by GC/MS.	3	N.D.
4-CHLORO-O-TOLUIDINE (CAS NO.95-69-2)	ppm	Analysis was performed by GC/MS.	3	N.D.
2-NAPHTHYLAMINE (CAS NO.91-59-8)	ppm	Analysis was performed by GC/MS.	3	N.D.

This Test specific is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The tastults shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days or by This dist Report shall not be reproduced except in full, without written approval of the Company.

邮编:518049

SZE 124521

Standards Technical Services Co., Ltd.

2/F, Oastar Building, Zhongkang Road, Shangmeilin, Shenzhen, China 518049

中国·深圳·上梅林中康路奥士达大厦2层

t (86-755)83114358 t (86-755)83114358

f (86-755)83182782 f (86-755)83182782 e s



KINGBOARD LAMINATES
(MACAO COMMERCIAL OFFSHORE) LIMITED

AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL

RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539

Date : 2005/11/25

Page : 3 of 7

Test Item (s):	Unit	Method	MDL	Result
			WIDD	No.1
O-AMINOAZOTOLUENE (CAS NO.97-56-3)	ppm	Analysis was performed by GC/MS.	3	N.D.
2-AMINO-4-NITROTOLUENE (CAS NO.99-55-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-CHLOROANILINE (CAS NO.106-47-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4-DIAMINOANISOLE (CAS NO.615-05-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4- DIAMINODIPHENYLMETHAN E (CAS NO.101-77-9)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DICHLOROBENZIDINE (CAS NO.91-94-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHOXYBENZIDINE (CAS NO.119-90-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHYLBENZIDINE (CAS NO.119-93-7)	ррт	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHYL-4,4- DIAMINODIPHENYLMETHAN E (CAS NO.838-88-0)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-CRESIDINE(2-METHOXY-5- METHYLANILINE) (CAS NO.120-71-8)	$\mathbf{ppm}$	Analysis was performed by GC/MS.	3	N.D.
4,4-METHYLENE-BIS-(2- CHLORANILINE) (CAS NO.101-14-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
1,4-OXYDIANILINE (CAS NO.101-80-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
,4-THIODIANILINE (CAS NO.139-65-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
D-TOLUIDINE (CAS NO.95- 53-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
,4-TOLUYLENDIAMINE (CAS 10.95-80-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4,5-TRIMETHYLANILINE CAS NO.137-17-7)		Analysis was performed by GC/MS.  o its General Conditions of Service print	3	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The tasults shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days or he. This test Report shall not be reproduced except in full, without written approval of the Company.

SZE 124522

| 2/F, Oastar Building, Zhongkang Road, Shangmeilin, Shenzhen, China 518049 | 中国・深圳・上梅林中康路奥士达大厦2层 邮编: 518049 t (86-755)83114358 f (86-755)83182782 t (86-755)83114358 f (86-755)83182782



KINGBOARD LAMINATES
(MACAO COMMERCIAL OFFSHORE) LIMITED
AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL
RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No.: CE/2005/B4539

Date : 2005/11/25

Page : 4 of 7

Test Item (s):	Unit	Method	MDL	Result
		ALC LITOU	MIDT	No.1
O-ANISIDINE (CAS NO.90-04- 0)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-AMINOAZOBENZENE (CAS NO.60-09-3)	ppm	Analysis was performed by GC/MS.	3	N.D.

Test Item (s):	Unit	Method	MDL	Result No.1
Chlorinated Paraffin (C10~C13) (CAS NO:010871- 26-2)	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by GC/MS or GC/ECD.	0.01	N.D.

Test Item (s):	Unit	Method	MDL	Result No.1
Formaldehyde(CAS No:000050-00-0)	ppm	With reference to DIN 53315 & USEPA 8315A. Analysis was performed by HPLC/DAD/MS	0.2	N.D.

Test Item (s):	Unit Method	MDL	Result	
		Intochiod	1411717	No.1
Mirex(CAS NO:002385-85-5)		Analysis was performed by GC/MS.	4	N.D.

Test Item (s):	Unit	Method	MDL	Result
	Onic	metnod		No.1
Organic-tin coumpounds			<del> </del>	
Triphenyl Tin(TPT)(CAS NO:000668-34-8)	ppm	With reference to 89/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.03	N.D.
Tributyl Tin(TBT)	ppm	With reference to 89/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.03	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The tasults shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This lest Report shall not be reproduced except in full, without written approval of the Company.

 $\mathsf{SZE}^{\,1\,2\,4\,5\,2\,3}$ 

SGS-CS C Standards Technical Services

2/F, Oastar Building, Zhongkang Road, Shangmeilin, Shenzhen, China 518049 中国・深圳・上梅林中康路奥士达大厦2层 邮编: 518049

t (86-755)83114358 t (86-755)83114358

f (86-755)83182782 f (86-755)83182782



KINGBOARD LAMINATES
(MACAO COMMERCIAL OFFSHORE) LIMITED
AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL
RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539

Date

: 2005/11/25

Page : 5 of 7

Test Item (s):	Unit	Method	MDL	Result
			MIDE	No.1
PCBs(Polychlorinated Biphenyls)(CAS NO:001336- 36-3)	ppm	With reference to USEPA 8082A. Analysis was performed by GC/MS or GC/ECD.	0.5	N.D.

Test Item (s):	Unit	Mathad	3577	Result
	Onic	Method	MDL	No.1
Monobromobiphenyl	%		0.0005	N.D.
Dibromobiphenyl	%		0.0005	N.D.
Tribromobiphenyl	%	With reference to	0.0005	N.D.
Tetrabromobiphenyl	%	USEPA3540C or	0.0005	N.D.
Pentabromobiphenyl	%	USEPA3550C. Analysis was	0.0005	N.D.
Hexabromobiphenyl	%	performed by HPLC/DAD,	0.0005	N.D.
Heptabromobiphenyl	%	LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and	0.0005	N.D.
Octabromobiphenyl	%		0.0005	N.D.
Nonabromobiphenyl	%		0.0005	N.D.
Decabromobiphenyl	%		0.0005	N.D.
Total PBBs (Polybrominated biphenyls)/Sum of above	%			N.D.
Monobromobiphenyl ether	%		0.0005	N.D.
Dibromobiphenyl ether	%		0.0005	N.D.
Tribromobiphenyl ether	%		0.0005	N.D.
Tetrabromobiphenyl ether	%		0.0005	N.D.
Pentabromobiphenyl ether	%	With reference to	0.0005	N.D.
Hexabromobiphenyl ether	%	USEPA3540C or	0.0005	N.D.
Heptabromobiphenyl ether	%	USEPA3550C. Analysis was	0.0005	N.D.
Octabromobiphenyl ether	%	performed by HPLC/DAD,	0.0005	N.D.
Nonabromobiphenyl ether	%	LC/MS or GC/MS.	0.0005	N.D.
Decabromobiphenyl ether	%	(prohibited by 2002/95/EC	0.0005	N.D.
Total PBBEs(PBDEs)	%	(RoHS), 83/264/EEC, and		N.D.
(Polybrominated biphenyl		76/769/EEC)		<b></b>
ethers)/Sum of above				
Total of Mono to Nona-	%	<b> </b>	-	N.D.
brominated biphenyl ether. (Note 4)	·			

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The testults shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for the Company. This test Report shall not be reproduced except in full, without written approval of the Company.

SZF 124524

Standards Technical Services



KINGBOARD LAMINATES

(MACAO COMMERCIAL OFFSHORE) LIMITED

AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL

RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539

Date

: 2005/11/25

:6 of 7 Page

Test Item (s):	Unit	Method	MDL	Result
			MIDD	No.1
Polychlorinated Naphthalene	ppm	With reference to USEPA 8081B. Analysis was performed by GC/MS.	5	N.D.

Test Item (s):	Unit	Method	MDL	Result No.1
		MCCHOU		No.1
PVC (CAS No:9002-86-2)		Analysis was performed by FTIR/ATR and Pyrolyzer-GC/MS.	1	Negative

Test Item (s):	Unit	Method	MDL	Result
				No.1
Chromium VI (Cr+6)	ppm	UV-VIS after reference to US EPA 3060A.	2	N.D.
Cadmium (Cd)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.
Mercury (Hg)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.
Lead (Pb)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.

- NOTE: (1) N.D. = Not detected (<MDL)
  - (2) ppm = mg/kg
  - (3) MDL = Method Detection Limit
  - (4) Decabromodiphenyl ether (DecaBDE) in polymeric applications is exempted by Commission Decision of 13 Oct 2005 amending Directive 2002/95/EC notified under document 2005/717/EC.
  - (5) PBBEs=PBDEs=Polybrominated Diphenyl Ethers=PBDOs=PBBOs.
  - (6) " " = Not Regulation
  - (7) " --- " = Not Applicable
  - (8) \* = Results shown are of the adjusted analytical results
  - (9) \*\* = Qualitative analysis (No Unit)
  - (10) Negative = < 1.0 %, Positive = > 1.0 %

111) The MDL is 5ppm for the single compound of CP issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The satults shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for day This that Report shall not be reproduced except in full, without written approval of the Company.

邮编:518049

SZE 124525

Standards Technical Services Co., Ltd.

2/F, Oastar Building, Zhongkang Road, Shangmeilin, Shenzhen, China 518049

中国・深圳・上梅林中康路奥士达大厦2层

t (86-755)83114358

t (86-755)83114358

f (86-755)83182782 f (86-755)83182782




KINGBOARD LAMINATES
(MACAO COMMERCIAL OFFSHORE) LIMITED
AV. DA PRAIA GRANDE NO. 599, EDIFICIO COMMERCIAL
RODRIGUES, 3<sup>rd</sup> ANDAR B, MACAO

Report No. : CE/2005/B4539

Date : 2005/11/25

Page : 7 of 7



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The tasults shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This light Report shall not be reproduced except in full, without written approval of the Company.

邮编:518049

SZE 124526

SGS-CGC Standards Technical Services

2/F, Oastar Building, Zhongkang Road, Shangmeilin, Shenzhen, China 518049

中国·深圳·上梅林中康路奥士达大厦2层

t (86-755)83114358

t (86-755)83114358

f (86-755)83182782

f (86-755)83182782